



Equipment Rental Guide

**Great Lakes Power Lift
1-800-759-LIFT**



This Rental Equipment Guide represents our 'core' line of rental equipment and should not be considered our complete equipment offering. Should you not find the equipment you are looking for in this booklet, please don't hesitate to give us a call as we most likely can supply your rental equipment needs beyond what is outlined here.

Mfg.	Model	Lifting Capacity (Lbs.)	Lift Height (In.)	Min Aisle Dim. (Lbs.)	Overall Lowered (In.)	Overall Length (In.)	Overall Width (In.)	Weight W/Max Bat. (Lbs.)
Hyster	S30SM	3000	189	81.6	82	78.3	42.7	5,644
Hyster	S50XM	5000	189	93.8	82	89.2	42	8,655
Hyster	S60XL2-Q	6000	240	98.7	83.5	96.3	48.8	10,560
Hyster	S80XL2	8000	172	113	83.5	101.7	50	12,695
Hyster	S100XL2	10000	162.5	115.6	83.5	109.7	55.9	14,375
Hyster	S120XL2	12000	162.5	119.6	83.5	114.3	55.9	15,690
Hyster	S155XL2	15500	144	122.9	83.5	116.7	56.6	21,000

Forklift - Large Cushion								
Hoist	FKS11	22000	100	136.5	95	130	56.5	26,000
Bristol	Mine Rigger	30000	96	153.6	96	138.8	58	39,250
Hoist	FKS15	30000	98.7	155.8	90	138.8	56	39,250
Hoist	FKS20	40000	96	176.75	108	156.06	70	49,580
Hoist	FKS25	50000	100	218	130	202	76	58,000
Hoist	FKS30	60000	110	223	130	202	76	89,000

Forklift - Pneumatic Tire - Internal Combustion								
Hyster	H50XM	5000	189	105.9	83.5	100.9	52	8,965
Hyster	H60XM	6000	182	109.4	84.5	104.9	52.8	9,900
Hyster	H80XL2	8000	172	123.8	86.8	114.5	54.2	12,600
Hyster	H100XL2	10000	162.5	133.8	88	127.9	57.4	14,655
Hyster	H135XL2	13500	173.5	155.6	91.1	142.9	83.1	18,680
Hyster	H155XL2	15500	173.5	157	91.1	145.6	83.1	19,950

Forklift - Large Pneumatic								
Taylor	THD1600	16000	134.5	159.5	110	142.5	83.2	21,500
Hyster	H210XL	210000	147.5	175.3	131	162.4	96	29,900
Taylor	TE300M	30000	134.5	210.5	144	187.8	101	39,340
Rigger	RS40	40000	98	227.5	106	209	101.5	45,300
Rigger	RS60	60000	98	227.5	106	209	101.5	56,000
Rigger	RS80	80000	98	227.5	106	209	101.5	78,700

Forklift Attachments								
Manual Boom								
Hydraulic Boom								
Rotator								
Side Shifter								
Side Shifting Fork Positioner								
Fork Positioner								
Carpet Poles								

Mfg.	Model	Lifting Capacity (Lbs.)	Lift Height (In.)	Turning Radius (In.)	Overall Lowered (In.)	Overall Length (In. w/o forks)	Overall Width (In.)	Weight w/max bat. (Lbs.)
------	-------	-------------------------	-------------------	----------------------	-----------------------	--------------------------------	---------------------	--------------------------

Walkie Pallet Trucks & Stackers

Counter Balance

Hyster	MCW 020	2500	126	58.7	83	67.3	38.3	4,194
Hyster	MCW 030	3000	126	63.7	83	72.3	38.3	4,917
Hyster	MCW 040	4000	122	80.0	83	79.5	38.3	5,496
Hyster	W60XT	6000	9.25	73.3	3.25	81.4	32.6	2,460
Hyster	W80XT	8000	9.25	73.3	3.25	81.4	32.6	2,475

Forklifts

Narrow Aisle (N), Stand Up (SU), Reach (R) and Swing Mast (SM)

Crown	RR3520-45 (R)	4500	212	64	95	46.7	45	7,600
Yale		3000	212	71	95	55.2	42	8,124
Drexel	SL66ES5 (SM)	6000	259	66	130.5	103.125	48	19,190

Forklifts

Electric Sit Down Rider

Hyster	E50XM	5000	189	82.9	88.4	78.6	42.1	10,230
Hyster	E60XM	6000	182	89.7	88.4	84.5	43.5	11,190
Hyster	E80SM	8000	172	102.5	91.7	94.5	46.1	13,105
Hyster	E100XL2	10000	162.5	110.3	91.7	99	52	16,950
Hyster	E120XL	12000	162.5	113.9	91.5	106	56	18,820

Mfg.	Model	Max. Work Height (Ft.)	Capacity (Lbs.)	Capacity @ Max. Height (Lbs.)	Stowed Height (In.)	Overall Length (Ft.)	Overall Width (Ft.)	Total Weight (Lbs.)
------	-------	------------------------	-----------------	-------------------------------	---------------------	----------------------	---------------------	---------------------

Construction Forklifts

Telescoping (T) & Straight Mast (S) Fuel: Diesel

Gradall	534D-6 (T)	36	6000	6000	94	16'3"	8'	17,830
SkyTrak	6036 (T)	36	6000	6000	100	17'7"	8'1"	19,010
Gradall	534D-6 (T)	36	6000	6000	94	16'3"	7'10"	18,450
Load Lifter	2414-8C	21	8000	8000	123	12'10"	7'1"	15,760
Gradall	534D-9 (T)	40	9000	9000	94	18'1"	8'1"	23,750
Gradall	544D-10 (T)	55	10,000	10,000	98	19'9"	8'3"	33,570

Mfg.	Model	H.P.	Capacity (Lbs.)	Bucket (In.)	Front Height (In.)	Dump Length (In.)	Width (In.)	Weight (Lbs.)
Skid-Steer								
Bobcat	453	15.7	600	44	71.2	97	36	2,501
Scat Trak	1300C	48	1300	66	88.5	130	60	5,272
Bobcat	753	43.5	1350	54-60	139	123	60	4,993
Scat Trak	1500C	48	1500	66	148	130	66	5,520
Bobcat	763	46	1500	60-66	148.2	130	68	5,368
Scat Trak	1700C	86	1750	72	15.6	136	66	6,890
Bobcat	773	46	1700	78	149.0	131	68	5,476
Scat Trak	1800C	86	1850	72	157	136	66	7,000
Bobcat	873	73.5	2300	78	162.0	142	79	6,885

Mfg.	Model	Width (In.)	Dig Depth (Ft.)	Dump Height (Ft.)	Breakout Force (Lbs.)
Mini Excavators					
Skat Trak	520V	40-51	7'9"	7'9"	3,200
Skat Trak	530 (w/long dipper)	58	8'9"	9'10"	4,415
Bobcat	320	39	7'3"	11'3"	3,180
Bobcat	325	55	8'2"	13'5"	4,567
Bobcat	331	61	10'1"	14'10"	7,000

Mfg.	Model	Dig Depth (In.)	Capacity (Lbs.)	Front Bucket (Yds)	Dump Height (In.)	Length (In.)	Width (In.)	Weight (Lbs.)
Backhoe Loader								
CAT 4WHL	426B	243	5710	1.25	102	273	89	16,700
CAT 4WHL	416B	218	5780	1.25	103	270	89	15,444
CAT	938F				129"	21'	105"	36,600

Mfg.	Model	Work Height (Ft.)	Platform Size (In.)	Platform Capacity (Lbs.)	Stowed Height (In.)	Overall Length (In.)	Overall Width (In.)	Total Weight (Lbs.)
One-Man Personnel Lifts – Electric (E)								
Genie	AWP24 (E)	30	24 x 24	300	78	48	29	717
Genie	IWP24 (E)	30	24 x 24	350	76	60	32	1,111
Genie	AWP25 (E)	31	27 x 26	350	78	52	29	817
Genie	IWP25 (E)	31	27 x 26	350	76	60	32	1,410
Genie	AWP30 (E)	36	24 x 24	300	78	52	29	866
Genie	IWP30 (E)	36	27 x 26	350	76	60	32	1,610
Genie	AWP36 (E)	42	27 x 26	350	110	55	29	1,130

Mfg.	Model	Work Height (Ft.)	Platform Size (In.)	Platform Capacity (Lbs.)	Stowed Height (In.)	Overall Length (In.)	Overall Width (In.)	Total Weight (Lbs.)
------	-------	-------------------	---------------------	--------------------------	---------------------	----------------------	---------------------	---------------------

All Terrain Scissor Lifts

Electric (E), Gas/Propane (GP), Diesel (D)

JLG	25RTS	31	71 x 125	2000	96	125	90	7,600
Genie	GS2668RT	32	61 x 99	1250	92	105	68	6,583
JLG	26MRT	32	54 x 94	1000	89	89	69	5,500
Upright	XRT27	33	58 x 92	1250	71	106	69.5	7,000
SkyJack	SJ7027	33	65 x 112.5	1500	101	97.5	70	7,600
Upright	SL30 (GP)*	36	68 x 144	1500	103	149	84	6,130
Upright	SL30N (GP/E)	36	57.5 x 166.25	1000	53	173	66	5,470
Upright	LX31 (G/PE)	37	70 x 144	2000	56.3	160.5	90	9,620
SkyJack	SJ8831	37	70 x 138	2500	102	115.5	88	9,757
Snorkel	SLH3284 (GP/D)	38	72 x 100	1250	99	145	84	8,250
Upright	XRT33	39	58 x 92	1000	61	106	69.5	8,167
Snorkel	SLH4084 (GP/D)	46	72 x 100	750	106	150	84	9,300
JLG	33RTS	39	71 x 126	1500	104	125	90	8,200
JLG	40RTS	46	71 x 126	1000	112	125	90	9,200
SkyJack	SJ8841	47	70 x 138	1500	113	115.5	88	10,760
Upright	LX41 (GP)	47	70 x 143	1500	74	160	90	10,920
SkyJack	9250 (GP)	56	74 x 168	2000	123	176	92	13,380
Upright	LX50 (GP)	56	1000	1000	118	161	90	12,600

Mfg.	Model	Work Height(Ft.)	Platform Size (In.)	Platform Capacity (Lbs.)	Stowed Height (In.)	Overall Length (In.)	Overall Width (In.)	Total Weight (Lbs.)
------	-------	------------------	---------------------	--------------------------	---------------------	----------------------	---------------------	---------------------

Scissors – Electric (E)

Upright	TM12 (E)	18	29 x 41	500	65	54	30	1,390
Upright	MX15	21	28.5 x 98.5	550	35.5	68.75	29.75	2,300
Genie	GS1530 (E)	21	25 x 62	600	77	72	30	2,563
SkyJack	SJIII3015	21	27.5 x 64	500	78	66.5	30	2,270
Genie	GS1930 (E)	25	25 x 62	500	79	72	30	2,963
JLG	1932E	25	30 x 64	600	76	68	32.5	2,400
SkyJack	SJIII3219 (E)	25	27.5 x 64	500	79	68	32.5	2,600
Upright	MX19 (E)	25	28.5 x 98.5	500	40	68.75	29.75	2,500
Genie	GS2032 (E)	26	27 x 87	800	79	96	32	3,410
Upright	X20N (E)	26	28 x 87	750	38	92.5	32.5	3,828
JLG	2033E	26	30 x 94	750	79	96	33	3,560

SkyJack	SJIII3220 (E)	26	28 x 80	800	79	89	32	3,920
SkyJack	SJIII4620 (E)	26	42 x 80	1100	79	89	46	3,670
Upright	X26 (E)	32	46.25 x 87	1000	48	92.5	48	4,747
Genie	GS2646 (E)	32	46 x 89	1000	85	96	46	4,530
SkyJack	SJIII4626 (E)	32	42 x 80	850	90	89	46	4,850
JLG	2646E	32	42 x 94	750	79	96	46	4,380
SkyJack	SJIII4830 (E)	36	42 x 80	700	92.5	89	48	5,290
Upright	X31 (E)	37	46.25 x 87	700	48	92.5	48	6,480
SkyJack	SJIII6832 (E)	38	60 x 82	1000	99	99	68	5,600
JLG	3369E	39	61 x 106	1000	103	109	69	8,000
JLG	3969E	45	61 x 106	750	109	109	69	8,800

Mfg.	Model	Work Height (Ft.)	Platform Size (In.)	Platform Capacity (Lbs.)	Stowed Height (In.)	Overall Length (Ft.)	Overall Width (Ft.)	Total Weight (Lbs.)
------	-------	-------------------	---------------------	--------------------------	---------------------	----------------------	---------------------	---------------------

Articulating Booms

Electric (E), Gas/Propane (GP), Diesel (D), Narrow (N)

Genie	Z20/8N (E)	26	30 x 46	400	79	12'4"	2'8"	10,750
Genie	Z20/8	26	30 x 46	500	79	15'11"	3'10"	7,000
Genie	Z25/8	31	30 x 46	500	79	16'	3'10"	8,000
Genie	Z30/20 (E)	36	30 x 48	500	79	16'6"	5'11"	8,700
Genie	Z30/20N (E)	36	30 x 46	500	79	16'9"	3'11"	14,500
SkyJack	SJKB33N	39	30 x 48	500	79	14'4"	4'	14,500
Genie	Z34/22N (E)	40	30 x 56	500	79	18'7"	4'10"	11,500
Genie	Z34/22 E/GP)*	40	30 x 56	500	90	18'7"	5'10"	10,700
JLG	n35e	41	26 x 48	500	79	17'	4'11"	10,200
JLG	35e	41	26 x 48	500	79	17'	5'9"	9,500
JLG	40HA	46	30 x 60	500	79	17'7"	7'11"	10,700
JLG	n40e	46	26 x 48	500	79	17'4"	5'9"	11,830
SkyJack	SJKB40C	46	30 x 48	500	79	18'3"	5'9"	13,440
Genie	Z45/22 E&GP)	51	30 x 48	500	78	16'8"	5'11"	12,000
Genie	Z45/25 E&GP)	51	30 x 72	500	79	18'	5'9"	15,700
Genie	Z45/25RT (GP)	51'8"	30 x 72	500	82	18'	7'4"	14,000
JLG	45e	51	26 x 48	500	79	17'7"	5'9"	11,800
JLG	45ic	51	26 x 48	500	79	18'8"	5'9"	11,800
JLG	450AJ	51	30 x 72	500	88	22'	6'6"	15,600
Genie	Z60/34 (GP)*	66	30 x 72	500	100	26'	7'6"	22,055
JLG	600A	66	36 x 72	500	101	26'5"	8'	20,700
JLG	600AJ	66	36 x 72	500	101	28'11.5"	8'	22,100
Skyjack	66TK	72	30 x 96	600	102	29'3"	8'	35,500
JLG	800AJ	86	36 x 72	500	118	36'6"	8'	34,200

Mfg.	Model	Max. Work Height w/Jib (Ft.)	Capacity (Lbs.)	Stowed Height (In.)	Overall Length (In.)	Overall Width (In.)	Total Weight (Lbs.)
------	-------	------------------------------	-----------------	---------------------	----------------------	---------------------	---------------------

Carrydeck Cranes

Gas/Propane (GP), Diesel (D)

Broderson	IC35	26	8000	82	117	60	7,100
Broderson	IC80	37	17000	87	168	78	13,700
Broderson	IC200	59	30000	96	262	96	26,250

Mfg.	Model	Description
------	-------	-------------

Personnel / Utility Vehicles

Electric (E), Gas/Propane (GP)

Cushman / Taylor Dunn	3 Wheel	Personnel Carrier – 1 and 2 seats
Cushman / Taylor Dunn	4 Wheel	Personnel Carrier – 3 and 4 seats with deck
Cushman / Taylor Dunn	4 Wheel	Burden Carrier/Utility Vehicle – 1 and 2 seats
Club Car	Carry-All 1 (E)	Personnel Carrier – 2 seat with deck
Club Car	Club Car (E)	Personnel Carrier – 2 seat no deck
John Deere	Gator (GP/D)	Utility Vehicle

Mfg.	Model	Work Height (Ft.)	Platform Size (In.)	Platform Capacity (Lbs.)	Stowed Height (In.)	Overall Length (Ft.)	Overall Width (Ft.)	Total Weight (Lbs.)
------	-------	-------------------	---------------------	--------------------------	---------------------	----------------------	---------------------	---------------------

* 4 x 4 optional on some models

Straight Booms

Dual Fuel (DF), Diesel (D)

Genie	S40 (DF/D)*	46	30 x 72	500	98	23'11"	7'6"	11,650
Genie	S45 (DF/D)	51	30 x 72	500	98	28'	7'6"	14,790
Genie	S60 (DF/D)	66	30 x 72	660	108	26'6"	7'6"	25,900
JLG	600S	66	36 x 72	500	101	27'11"	7'11"	22,000
JLG	601S	66	30 x 72	500	101	27'5"	8'	21,500
Genie	S65 (DF/D)*	71	30 x 72	500	108	30'10"	8'	28,400
Genie	S80 (DF/D)*	86	36 x 96	500	110	36'8"	7'9"	33,380
JLG	80HX	86	36 x 72	500	117	34'10"	8'	3,700
Genie	S85 (DF/D)*	91	36 x 96	500	110	40'7"	8'	35,860
JLG	110HX (DF/D)	116	36 x 96	500	118	39'	8'5"	40,410
JLG	120HX	126'	36 x 96	500	124	35'11"	8'6"	43,500
Genie	125	131	36 x 96	500	121	39'11"	8'6"	44,640

Mfg.	Model	Work Height (Ft.)	Platform Size (In.)	Platform Capacity (Lbs.)	Stowed Height (In.)	Overall Length (Ft.)	Overall Width (Ft.)	Total Weight (Lbs.)
Towable Booms								
Genie	TMZ34/19 (E)	40	32 x 48	500	77.5	19	2'10"	2,760
Genie	TMZ50/30 (E)	56	30 x 48	500	78	22	5'5"	4,600

Mfg.	Model	Description
Industrial Sweeper/Scrubbers		
Alto	MPV	60" Rider Sweeper (Gas/LP)
Alto	Large Encore	28" 30" 32" Disk, Walk Behind Scrubber (Elec.)
Alto	7740, 7750, 7760	45" Rider Scrubber (Gas/LP)
Alto	7760	63" Rider Sweeper/Scrubber (Gas/LP)
Alto	3366	72" wide Rider Power Sweeper (Gas/LP)

Mfg.	Model	Output	Fuel
Light Towers			
Coleman	MH4000	4000W	Diesel

Great Lakes Power Lift *Quality Statement*

We are dedicated and focused to be the number one material handling supplier.

We accomplish our goals by providing superior service, meeting our customers expectations in everything we do.

We are committed to continually improving the effectiveness of our quality management system while complying to the requirements allowing us to provide better value than our competition.

Satisfied customers are the ultimate measure of our success. We are dedicated and focused to be the number one material handling supplier.